Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-4 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	0	2	2	50%
St. Louis County	2	0	-2	0%
Kansas City	1	4	3	25%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)	i 			
Northwestern	1	1	0	0%
Central	2	0	-2	0%
Southeastern	1	0	-1	0%
Southwestern	0	0	0	0%
Eastern	0	0	0	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	8	7	-4	29%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2021 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-8 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	1	2	1	50%
St. Louis County	3	4	1	0%
Kansas City	1	5	4	20%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)				
Northwestern	3	1	-2	0%
Central	3	0	-3	0%
Southeastern	1	0	-1	0%
Southwestern	0	0	0	0%
Eastern	0	0	0	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	13	12	-1	17%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2021 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-12 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	2	2	0	50%
St. Louis County	4	5	1	0%
Kansas City	3	6	3	33%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)				
Northwestern	4	4	0	0%
Central	4	0	-4	0%
Southeastern	1	0	-1	0%
Southwestern	0	0	0	0%
Eastern	0	2	2	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	19	19	0	11%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2021 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-22 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	2	4	2	25%
St. Louis County	8	9	1	0%
Kansas City	7	10	3	20%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	7	6	-1	17%
Central	5	2	-3	0%
Southeastern	1	0	-1	0%
Southwestern	0	3	3	0%
Eastern	1	3	2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	34	38	4	11%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-26 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	2	5	3	20%
St. Louis County	9	9	0	0%
Kansas City	8	10	2	20%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	i 			
Northwestern	8	7	-1	14%
Central	6	3	-3	33%
Southeastern	1	1	0	0%
Southwestern	2	5	3	0%
Eastern	1	4	3	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	40	45	5	9%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-30 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	2	5	3	20%
St. Louis County	11	10	-1	0%
Kansas City	8	10	2	20%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	 	 	 	
Northwestern	8	8	0	13%
Central	6	3	-3	33%
Southeastern	1	1	0	0%
Southwestern	2	6	4	0%
Eastern	1	4	3	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	42	48	6	8%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-35 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	2	5	3	20%
St. Louis County	15	14	-1	0%
Kansas City	8	11	3	27%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	8	11	3	9%
Central	7	4	-3	25%
Southeastern	2	1	-1	0%
Southwestern	3	7	4	0%
Eastern	2	4	2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	50	58	8	9%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-39 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	4	5	1	20%
St. Louis County	17	14	-3	0%
Kansas City	9	12	3	25%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	i ! ! !			
Northwestern	8	12	4	8%
Central	8	4	-4	25%
Southeastern	2	1	-1	0%
Southwestern	5	7	2	0%
Eastern	3	4	1	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	59	60	1	10%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-43 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	4	7	3	14%
St. Louis County	19	14	-5	0%
Kansas City	10	12	2	25%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	8	12	4	8%
Central	8	4	-4	25%
Southeastern	3	1	-2	0%
Southwestern	6	7	1	0%
Eastern	3	4	1	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	64	62	-2	11%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-48 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	7	8	1	13%
St. Louis County	20	14	-6	0%
Kansas City	10	13	3	23%
Springfield/Greene	2	1	-1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	10	12	2	8%
Central	10	4	-6	25%
Southeastern	3	2	-1	0%
Southwestern	7	7	0	0%
Eastern	3	5	2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	73	66	-7	11%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-52 2021 versus 2022

Geographic Area	Number of Counted Cases: 2021	Number of Counted Cases: 2022	Differences in Number of Counted Cases: 2021 to 2022	Percent of 2022 Cases that were Preventable
St. Louis City	8	8	0	13%
St. Louis County	20	14	-6	0%
Kansas City	10	13	3	23%
Springfield/Greene	3	1	-2	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	12	13	1	8%
Central	10	4	-6	25%
Southeastern	4	2	-2	0%
Southwestern	7	9	2	0%
Eastern	3	5	2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	78	69	-9	12%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2022 counted cases.